KYOCERA PRINTER INSTALLATION

WINDOWS

Summary

Printer Installation:	1
Driver installation on error	2
Associate the badge to authenticate on the printer	5

Printer Installation:

1. Open "Run" with the keyboard combination Windows+R , enter: $\underline{157.27.6.33}$ and press OK.

Esc	~ .	. !	1	@ 2	#	\$	4	5	6	د * 7	8) 9	0	- +	=	Del	🖻 Es	egui X
Tab		q	w	e			Ĺ	у	u	Ľ	0	þ				Dei		
Caps		а			d	f	g	h	i j	k								Digitare il nome del programma, della cartella, del documento o della risorsa Internet da aprire.
Shift			z)				b	n	m					Shift			
Fn	Ctrl		•	Alt							Alt	Ctrl					<u>A</u> pri:	\\157.27.6.33\
																		OK Annulla S <u>f</u> oglia

2. A panel will open where the GIA credentials are requested and must be entered in this way: **ATENEO\ utenteGIA**

Sicurezza di Windows	×
Immettere le credenziali di rete	
Immettere le credenziali per la connessione a: 157.27.6.33	
Nome utente	
ATENEO\utenteGIA	
Password	
•••••	
Memorizza credenziali	
Password o nome utente non corretto.	
OK Annulla	

3. All printers available on the server will be displayed.

157.27.6.33	× +			-	
$\leftarrow \rightarrow \uparrow$	C 🕀 > Re	e > 157.27.6.33		Cerca in 157.27.6.33	Q
🕂 Nuovo - 🐰	() () ()	🖄 🔟 🏷 Ordina 🗸 🗧 Visualizza 🗸			📑 Dettagli
🛃 Immagini 🛛 🖈	mac_bn	mac_col	test		
🕑 Musica 🛛 🖈					
🛂 Video 🛛 🖈		n uniprint_bn_linux	uniprint_colore		
		olore_linux			

4. Right click on uniprint_bn (to add the B/W one) and uniprint_colore (to add the color one). Re-enter the GIA credentials like this: <u>ATENEO\ utenteGIA .</u>
Wait for the printer drivers to be installed, which are downloaded automatically from the server: the first time it takes about a minute.

mac_bn	mac_col	
uniprint_bn	Apri Connețti Crea collegamento Proprietà	
mac_bn	mac_col	Connetti a 157.27.6.33 ? ×
uniprint_bn		un 🙀
uniprint_colore_linux	Installazione stampante di Windows × Connessione a uniprint_bn su 157.27.6.33 Annulla	Connessione a 157.27.6.33 Nome utente:

Ok, now you can print your documents to any black Kyocera printer present in Cavignal 1,2,3

If an error occurs, refer to the section "Installing drivers in case of error".



https://www.kyoceradocumentsolutions.it/it/assistenza/downloads.nameL2l0L2l0L21mcC9 <u>UQVNLQUxGQTYwNTJDSQ==.html</u> and select the option <u>taskalfa 6052ci</u> and select your operating system (e.g. Windows 11 (32 & 64 bit)) and download the driver <u>KX Universal</u> <u>Printer Driver</u> click on Accept & Continue.

From "File Explorer" go to "Downloads\KX_Universal_Printer_Driver.zip", press the right button and click on "Extract all", at this point select the destination folder and enter the directory " <u>KX_Universal_Printer_Driver \Kx84_UPD_8.4.1716_en_RC5_WHQL</u>" double click on the Setup.exe file .

The printer driver installation program will open, select " Custom Installation":

🕽 Kyocera Product Library – 🗆 🗙								\times								
REAL REAL REAL REAL REAL REAL REAL REAL																
Aggiungi singolo dispositivo e relativi driver predefiniti	•	• •	+ +	•	+ +	• •	• •	+ +	• •	+ +	• •	* +	+ +	+ +	+ +	•
Aggiunge più dispositivi e utility di stampa	•	+	+ +	• •	+ +	+	+ +	+ +	+ +	+	+	+ +	+	+ +	+	+
Kanutenzione Esegue programmi di utility	ľ	•	+	•	•	•	•	•	•	+	•	•	+	+	+	+
Disinstalla Rimuove dispositivi, driver e utility	•	+	+	•	+	• •	+	• •	*	+ +	+	• •	+++	++	+++	+
		÷	÷	÷		÷	÷	÷		+	+	÷		+	÷	+
	+	+	+	•	+	+	+	+	+	+	+	+	+	+	+	+
	•	+	+	•	+	*	+	+	+	+	+	+	+	+	•	•
	÷	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
0	2024 K)	OCER	A Doc	umen	t Solut	tions	Inc.									

At this point another window will open with the driver "<u>KX Driver for Universal Printing</u>", select it and move it with the arrow to the box on the right ("Products to install") and click on install at the bottom right.

S Kyocera Product Library		- 0 X	S Kyocera Product Library		- 🗆 X
Aggiunge più dispositivi e utility	zata Iy di stampa		Aggiunge più dispositivi e utility di	ta ta i stampa	
Driver	Utility	Prodotti da installare		10100	
Dispositivi	Cerca dispositivi		Driver	Utility	K DRIVER for Universal Printing
Dispositivo	Dettagli		Dispositivi	Cerca dispositivi	Modifica Elimina
+ Apgiungi dispositivo personalizzato	o Apgiunge un dispositivo all'elenco di instal		Dispositivo	Dettagli	
IC: DRIVER for Universal Printing	Installare un driver generico per le stampan		Aggiungi dispositivo personalizzato	Aggiunge un dispositivo all'elenco di instal	
1 di 2 dispositivi selezionati Driver	Impostazioni S., + Aggiungi dispositiv C		0 di 1 dispositivi selezionati 🏠 Imp Driver	postazioni S + Aggiungi dispositiv C	
Nome	Desolizione		Nome	Descrizione	
ICK DRIVER	(Da apgiornare) (consigliata) Stampa con fu		KX DRIVER	(consigliata) Stampa con funzionalità estese	
K. URIVER for Universal Plinting	initialiare un orver generico per le stampan	9 dementi 🖥			
2 driver			1 driver		1 elemento
		gaa nome noss come nome porta			Usa nome host come nome porta
Indietro		insjalla 🕨 Esci	Indietro		Installa 🕨 Esci

The Data Collection screen will appear where you simply need to choose "No, I don't want..." and press "OK".

The drivers will be installed and the installation progress will be shown:

G Kyocera Product Library		×
Terminato		
Il software è pronto per l'uso.		
Prodotti	Dettagli	
✓ KX DRIVER for Universal Printing	Installato	
✓ Uninstaller	Installato	
Abilita fronte/retro		
🗉 📝 🎲 Mostra scheda Stampa veloce		
		Fine

Then choose "Finish" and repeat step 1 "Printer Installation".

First badge association to authenticate on the printer

1. Enter your GIA credentials on the printer display as shown in the figure and press "Ok".



2. Once you have entered your personal area, select "ID card registration" (orange rectangle).



3. At this point, bring the badge close to the reader on the left to register it.



4. At the end of the procedure, a message indicating successful registration will be displayed, press "Ok".



The badge has been successfully registered and it is now possible to authenticate on all black Kyocera printers of Ca' Vignal 1, 2, 3 by bringing the badge close to the reader.